

# Actuator

18-

060.0054L











# 18-060.0054L Actuator

| FR | ONT |  |
|----|-----|--|
|    |     |  |

Front dimension: Ø 19 mm

Front form: Round

Front bezel colour: Black

Front bezel material: Plastic

#### **MOUNTING**

**Design:** Flush

Mounting type: Panel mounting

### **OPERATING-/INDICATION PART**

Lens colour: Yellow

Lens material: Plastic

Lens illumination: Illuminated

Lens shape: Flush

Lens optics: translucent

Illumination colour: White

### **ELECTRICAL CHARACTERISTICS**

Operating voltage: tbd

Switching rating:

**MECHANICAL CHARATERISTIC** 

**Terminal:** Soldering terminal

Weight: 0.002 kg

#### **AMBIENT CONDITION**

**Operating temperature:**  $-25 \, ^{\circ}\text{C} \, ... \, + \, 65 \, ^{\circ}\text{C}$ 

#### **CERTIFICATE**

**REACH:** REACH compliant

RoHS: RoHS compliant

#### **OTHER**

Short Description: Actuator, Ø 19 mm, Flush, Illuminated, Yellow, Plastic, translucent, Round, Black,

Plastic, Soldering terminal, White


**Dimension:** Ø 13.8 mm


**Product attributes:** Luminosity and wave length variations caused by LED manufacturing processes

may cause slight differences regarding the illumination. The customer has to

decide what resistor shall be used to the LED


Wiring diagrams:





A = Terminals (rear side) B = Indicator

## Mounting cut-outs:



## Dimension drawings:

