

Actuator

19-
030.005

Distribution by
Newark



<https://newark.eao.com/component/19-030.005/e...>

Your product:



19-030.005 Actuator

Loading ...

FRONT

Front dimension:	Ø 9 mm
Front form:	Round
Front bezel colour:	Black
Front bezel material:	Plastic

MOUNTING

Design:	Raised
Mounting cut-out:	Ø 8 mm
Mounting type:	Panel mounting

MECHANICAL CHARACTERISTICS

Terminal:	Plug-in terminal, 2 x 0.5 mm
Weight:	0.002 kg

AMBIENT CONDITION

Operating temperature:	- 25 °C ... + 45 °C with filament lamp, - 25 °C ... + 65 °C with LED, mounted as a block, make sure the heat can escape freely
-------------------------------	--

CERTIFICATE

REACH:	REACH compliant
RoHS:	RoHS compliant

OTHER

Short Description:

Actuator, Ø 8 mm, Ø 9 mm, Round, Black, Plastic, Plug-in terminal, 2 x 0.5 mm

Internal size:

Ø 7,3 mm


Housing colour:

Black


Housing material:

Plastic

Wiring diagrams:




Component layouts:



A = Terminals (rear side)

B = Indicator

Mounting cut-outs:



Dimension drawings:

